



WEST VIRGINIA SECRETARY OF STATE

MAC WARNER

ADMINISTRATIVE LAW DIVISION

eFILED

3/22/2018 1:16 PM

**NOTICE OF FINAL FILING AND ADOPTION OF A LEGISLATIVE RULE AUTHORIZED
BY THE WEST VIRGINIA LEGISLATURE**

AGENCY: Agriculture TITLE-SERIES: 61-14A
RULE TYPE: Legislative Amendment to Existing Rule: Yes Repeal of existing rule: No
RULE NAME: Rules Dealing With Noxious Weeds
CITE STATUTORY AUTHORITY: §19-12D-4

The above rule has been authorized by the West Virginia Legislature.

Authorization is cited in (house or senate bill number) HB 4079

Section §64-9-2 Passed On 3/9/2018 12:00:00 AM

This rule is filed with the Secretary of State. This rule becomes effective on the following date:

April 22, 2018

This rule shall terminate and have no further force or effect from the following date:

04/22/2023

**TITLE 61
LEGISLATIVE RULES
DEPARTMENT OF AGRICULTURE**

**SERIES 14A
RULES DEALING WITH NOXIOUS WEEDS**

§61-14A-1. General.

- 1.1. Scope. -- This Legislative rule sets forth provisions governing noxious weeds. It sets forth definitions, cooperative suppression activities, prohibitions and declare certain weeds to be noxious.
- 1.2. Authority. -- W. Va. Code §19-12D-4.
- 1.3. Filing Date. -- March 22, 2018
- 1.4. Effective Date. -- April 22, 2018
- 1.5. Sunset Date. -- This rule shall terminate and have no further force or effect on April 22, 2023.

§61-14A-2. Declaration of Policy.

- 2.1. This rule is promulgated to establish surveillance, suppression and control programs and to declare certain weeds noxious.

§61-14A-3. Definitions.

- 3.1. "Cooperative suppression or control agreement" means a written agreement entered into by the Commissioner and one or more other persons which defines the responsibilities of each party regarding the cooperative suppression or control agreement and may include, but not be limited to, suppression or control procedures and methods, cost sharing, tenure of agreement and conditions.

§61-14A-4. Cooperative Suppression and Control.

- 4.1. When it has been determined that an infestation of a noxious weed exists for which suppression and control activities are practical, the Commissioner may:

- 4.1.1. Declare a quarantine, if necessary;
- 4.1.2. Enter into cooperative suppression or control agreement with any person; or
- 4.1.3. Proceed with suppression or control activities.

§61-14A-5. Declaration of Noxious Weeds.

- 5.1. Surveys have shown that the following plants are a detriment to agriculture in West Virginia and are hereby declared to be noxious weeds: Johnson Grass, *Sorghum halepense* (L.); Plumeless

Thistle, *Carduus acanthoides* (L.); Curled Thistle *C. crispus* (L.); Musk Thistle, *C. nutans* (L.); Mile-a-minute, *Polygonum perfoliatum*; Japanese Knotweed, *P. cuspidatum*; Purple Loosestrife *Lythrum salicaria*; Tree of Heaven, *Ailanthus altissima*; Autumn Olive, *Elaeagnus umbellata* (Thunb.); Japanese Stiltgrass, *Microstegium vimineum*; Tartarian Honeysuckle, *Lonicera tartarica*; Morrow's Honeysuckle, *L. Morrowii*; and Poison Hemlock *Conium maculatum*; and Kudzu, *Pueraria thunbergiana* (S and Z) Benth.

5.2. Effective July 1, 2020, Japanese Barberry, *Berberis thunbergii* DC, shall be declared to be a noxious weed. However, the Commissioner of Agriculture may exempt certain cultivated varieties of Japanese Barberry upon determination that those varieties are sterile and pose no threat to agriculture in West Virginia.

5.3. This section is reserved for narcotic drug producing plants (as defined under Title 21, USC Section 802) other than those listed in the West Virginia Noxious Weed Act. (W. Va. Code §19-12D-7)

5.4. West Virginia adopts the Federal Noxious Weed List of the Federal Noxious Weed Act [Public Law 93-629 (7 U.S.C. 2801 et seq.; 88 Stat. 2148)] as an extension of the West Virginia Noxious Weed list. The Federal Noxious Weed List (Appendix A) will be regulated by the West Virginia Noxious Weed Act.

Appendix A:**Federal Noxious Weed List (as of June 30, 2006)****Aquatic/Wetland**

Azolla pinnata R. Brown (mosquito fern, water velvet)
Caulerpa taxifolia (Vahl) C. Agardh, Mediterranean strain (killer algae)
Eichornia azurea (Swartz) Kunth (anchored waterhyacinth, rooted waterhyacinth)
Hydrilla verticillata (Linnaeus f.) Royle (hydrilla)
Hygrophila polysperma T. Anderson (Miramar weed)
Ipomoea aquatica Forsskal (water-spinach, swamp morning-glory)
Lagarosiphon major (Ridley) Moss
Limnophila sessiliflora (Vahl) Blume (ambulia)
Melaleuca quinquenervia (Cav.) Blake (broadleaf paper bark tree).
Monochoria hastata (Linnaeus) Solms-Laubach
Monochoria vaginalis (Burman f.) C. Presl
Ottelia alismoides (L.) Pers.
Sagittaria sagittifolia Linnaeus (arrowhead)
Salvinia auriculata Aublet (giant salvinia)
Salvinia biloba Raddi (giant salvinia)
Salvinia herzogii de la Sota (giant salvinia)
Salvinia molesta D.S. Mitchell (giant salvinia)
Solanum tampicense Dunal (wetland nightshade)
Sparganium erectum Linnaeus (exotic bur-reed)

Parasitic

Aeginetia spp.
Alectra spp.
Cuscuta spp. (dodders), other than following species:
Cuscuta americana Linnaeus
Cuscuta applanata Engelmann
Cuscuta approximata Babington
Cuscuta attenuata Waterfall
Cuscuta boldinghii Urban
Cuscuta brachycalyx (Yuncker) Yuncker
Cuscuta californica Hooker & Arnott
Cuscuta campestris Yuncker
Cuscuta cassytioides Nees ex Engelmann
Cuscuta ceanothii Behr
Cuscuta cephalanthii Engelmann
Cuscuta compacta Jussieu
Cuscuta corylii Engelmann
Cuscuta cuspidata Engelmann
Cuscuta decipiens Yuncker
Cuscuta dentatasquamata Yuncker
Cuscuta denticulata Engelmann

Cuscuta epilinum Weihe
Cuscuta epithymum (Linnaeus) Linnaeus
Cuscuta erosa Yuncker
Cuscuta europaea Linnaeus
Cuscuta exalta Engelmann
Cuscuta fasciculata Yuncker
Cuscuta glabrior (Engelmann) Yuncker
Cuscuta globulosa Bentham
Cuscuta glomerata Choisy
Cuscuta gronovii Willdenow
Cuscuta harperi Small
Cuscuta howelliana Rubtzoff
Cuscuta indecora Choisy
Cuscuta jepsonii Yuncker
Cuscuta leptantha Engelmann
Cuscuta mitriformis Engelmann
Cuscuta nevadensis L. M. Johnston
Cuscuta obtusiflora Humboldt, Bonpland, & Kunth
Cuscuta occidentalis Millspaugh ex Mill & Nuttall
Cuscuta odontolepis Engelmann
Cuscuta pentagona Engelmann
Cuscuta planiflora Tenore
Cuscuta plattensis A. Nelson
Cuscuta polygonorum Engelmann
Cuscuta rostrata Shuttleworth ex Engelmann
Cuscuta runyonii Yuncker
Cuscuta salina Engelmann
Cuscuta sandwichiana Choisy
Cuscuta squamata Engelmann
Cuscuta suaveolens Seringe
Cuscuta suksdorfii Yuncker
Cuscuta tuberculata Brandegee
Cuscuta umbellata Humboldt, Bonpland, & Kunth
Cuscuta umbrosa Beyrich ex Hooker
Cuscuta vetchii Brandegee
Cuscuta warneri Yuncker
Orobanche spp. (broomrapes), other than the following species:
Orobanche bulbosa (Gray) G. Beck
Orobanche californica Schlechtendal & Chamisso
Orobanche cooperi (Gray) Heller
Orobanche corymbosa (Rydberg) Ferris
Orobanche dugesii (S. Watson) Munz
Orobanche fasciculata Nuttall
Orobanche ludoviciana Nuttall
Orobanche multicaulis Brandegee
Orobanche parishii (Jepson) Heckard

Orobanche pinorum Geyer ex Hooker

Orobanche uniflora Linnaeus

Orobanche valida Jepson

Orobanche vallicola (Jepson) Heckard

Striga spp. (witchweeds)

Terrestrial

Ageratina adenophora (Sprengel) King & Robinson (crofton weed)

Alternanthera sessilis (Linnaeus) R. Brown ex de Candolle (sessile joyweed)

Asphodelus fistulosus Linnaeus (onionweed)

Avena sterilis Linnaeus (including *Avena ludoviciana* Durieu) (animated oat, wild oat)

Carthamus oxyacantha M. Bieberstein (wild safflower)

Chrysopogon aciculatus (Retzius) Trinius (pilipiliula)

Commelina benghalensis Linnaeus (Benghal dayflower)

Crupina vulgaris Cassini (common crupina)

Digitaria scalarum (Schweinfurth) Chiovenda (African couchgrass, fingergrass)

Digitaria velutina (Forsskal) Palisot de Beauvois (velvet fingergrass, annual conchgrass)

Drymaria arenarioides Humboldt & Bonpland ex Roemer & Schultes (lightning weed)

Emex australis Steinheil (three-cornered jack)

Emex spinosa (Linnaeus) Campdera (devil's thorn)

Galega officinalis Linnaeus (goatsrue)

Heracleum mantegazzianum Sommier & Levier (giant hogweed)

Homeria spp.

Imperata brasiliensis Trinius (Brazilian satintail)

Imperata cylindrica (Linnaeus) Raeuschel (cogongrass)

Ischaemum rugosum Salisbury (murainograss)

Leptochloa chinensis (Linnaeus) Nees (Asian sprangletop)

Lycium ferocissimum Miers (African boxthorn)

Melastoma malabathricum Linnaeus

Mikania cordata (Burman f.) B. L. Robinson (mile-a-minute)

Mikania micrantha Humboldt, Bonpland, & Kunth

Mimosa invisa Martius (giant sensitive plant)

Mimosa pigra Linneaus var. *pigra* (catclaw mimosa)

Nassella trichotoma (Nees) Hackel ex Arechavaleta (serrated tussock)

Opuntia aurantiaca Lindley (jointed prickly pear)

Oryza longistaminata A. Chevalier & Roehrich (red rice)

Oryza punctata Kotschy ex Steudel (red rice)

Oryza rufipogon Griffith (red rice)

Paspalum scrobiculatum Linnaeus (Kodo-millet)

Pennisetum clandestinum Hochstetter ex Chiovenda (kikuyugrass)

Pennisetum macrourum Trinius (African feathergrass)

Pennisetum pedicellatum Trinius (kyasumagrass)

Pennisetum polystachyon (Linnaeus) Schultes (missiongrass, thin napiergrass)

Prosopis alpataco R. A. Philippi

Prosopis argentina Burkart

Prosopis articulata S. Watson

Prosopis burkartii Munoz

Prosopis caldenia Burkart
Prosopis calingastana Burkart
Prosopis campestris Grisebach
Prosopis castellanosii Burkart
Prosopis denudans Bentham
Prosopis elata (Burkart) Burkart
Prosopis farcta (Solander ex Russell) Macbride
Prosopis ferox Grisebach
Prosopis fiebrigii Harms
Prosopis hassleri Harms
Prosopis humilis Gillies ex Hooker & Arnott
Prosopis kuntzei Harms
Prosopis pallida (Humboldt & Bonpland ex Willdenow) Humboldt, Bonpland, & Kunth
Prosopis palmeri S. Watson
Prosopis reptans Bentham var. *reptans*
Prosopis rojasiana Burkart
Prosopis ruizlealii Burkart
Prosopis ruscifolia Grisebach
Prosopis sericantha Gillies ex Hooker & Arnott
Prosopis strombulifera (Lamarck) Bentham
Prosopis torquata (Cavanilles ex Lagasca y Segura) de Candolle
Rottboellia cochinchinensis (Lour.) W. Clayton
Rubus fruticosus Linnaeus (complex) (wild blackberry)
Rubus moluccanus Linnaeus (wild raspberry)
Saccharum spontaneum Linnaeus (wild sugarcane)
Salsola vermiculata Linnaeus (wormleaf salsola)
Senecio inaequidens DC (South African ragwort)
Senecio madagascariensis Poir (Madagascar ragwort)
Setaria pallide-fusca (Schumacher) Stapf & Hubbard (cattail grass)
Solanum torvum Swartz (turkeyberry)
Solanum viarum Dunal (tropical soda apple)
Spermacoce alata (Aublet) de Candolle
Tridax procumbens Linnaeus (coat buttons)
Urochloa panicoides Beauvois (liverseed grass)